

Home | Login | Logout | Access Information | Alerts I

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((persistent request)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)"

⊠e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((persistent request)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)

» Key

IEEE Journal or **IEEE JNL**

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

Search

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Help Contact Us Privacy &:

indexed by #Inspec © Copyright 2006 IEEE -

Groups Home | Help | Sign in



Froogle Images Groups News Local more »

Search session expire lost request

Advanced Groups Search Preferences

Members: Sign in New users: Join

Searched all groups

Results 1 - 10 of 7,760 for session expire lost request (0.13) seconds)

> Sort by date Sorted by relevance

Recently visited [clear]

microsoft.pu...k.aspnet microsoft.pu...rver.iis microsoft.pu...security fido7.donbass.unix lucky.openbsd.misc

Create a new group About Google Groups how to redirect on session expire

... Then the client will expire the session sooner than ... If the difference between the

clocks is too large, then the cookie will already be expired when the ... microsoft.public.dotnet.framework.aspnet - Feb 6 2003, 10:06 pm by "Mike Moore [Microsoft]" - 8 messages - 3 authors

Detecting loss of session

... t set the expiration on a Cookie, it expires at the ... or stop sending) them as soon as they expire, not when ... request or if the user did have a session going that ... microsoft.public.dotnet.framework.aspnet - Aug 25 2004, 11:52 am by Kevin Spencer - 6 messages - 4 authors

Help!!! I am totoaly lost on this one

... Response Cookies("ckremember") Expires = Date - 1 ... Value) Else Session(" MM UserAuthorization") = "" End ... maintext">For lost Passwords</ ...

macromedia.ultradev - Oct 9 2002, 12:24 pm by

"panama"_webforumsu...@macromedia.com - 4 messages - 3 authors

persistant cookie, what is it?

... i can continue, unless my cookie has expired, which is ... a month ahead and the auto-expire-increase stuff ... is that they should understand the session stuff first. ...

microsoft.public.dotnet.framework.aspnet - Jan 31, 4:57 pm by Edwin Knoppert -16 messages - 4 authors

#21306 [Fbk->Opn]: partly RSHUTDOWN and "cannot change the session ...

... or exit() (something like lost connection close ... Cookie: PHPSESSID= b50128d895 9939728d2 1dd36eaf15b7c; path=/ Expires: Thu, 19 ... b>: Unknown():

mailing.www.php-dev - Sep 20 2005, 1:17 am by "Xuefer at 21cn dot com" - 3 messages - 1 author

Session Dropping intermittently

... The end user's machine will consider the cookie as expired in just 4 minutes when you wanted it to be ... For session cookies, which usually expire in just a ... microsoft.public.vb.webclasses - Mar 27 2003, 9:54 pm by Mike Moore [MSFT] - 5 messages - 2 authors

Losing session attributes in clustered environment

... that implements the appropriate listener to log when the session expires or is ...

wouldn't explain the cases where the session seems to get lost in the ... weblogic.developer.interest.clustering - Aug 14 2002, 10:54 am by Cameron Purdy - 4 messages - 4 authors

Forms Authentication - Sessions getting lost

... getting is that if the user keeps the page open and the session expires, now

The page tries to request the required page and because we assume the session ...

microsoft.public.dotnet.framework.aspnet - Oct 17 2002, 1:34 am by Eugene van Rensburg - 1 message - 1 author

Lost updates vs resumable connections/transactions

... a good implementation would let you set policies for when sessions expire and transactions ... Every request is limited to what it can do with limited state and ... pgsql.interfaces - Dec 17 2004, 4:10 pm by Greg Stark - 15 messages - 5 authors

#21306 [Opn->Fbk]: partly RSHUTDOWN and "cannot change the

... or exit() (something like lost connection close ... Cookie: PHPSESSID= b50128d8959939728d21dd36eaf15b7c; path=/ Expires: Thu, 19 ... b>: Unknown():

mailing.www.php-dev - Sep 20 2005, 1:20 am by tony2...@php.net - 3 messages -2 authors

New! Get the latest messages on session expire lost request emailed to you with Google Alerts.

G00000000008 le Result Page: 1 2 3 4 5 6 7 8 9 10 Next

session expire lost request

Search

Google Home - Terms of Service - Privacy Policy

©2006 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Res	sults .	BROWSE SEARCH IEEE XPLORE GUIDE					
Your search	n matched 9 of 1331196 do	-authentication)) <in>metadata)"</in>					
» Search O	otions						
View Sessi	on History	Modify Search					
New Search	<u>1</u>	(((reauthentication or re-authentication)) <in>metadata)</in>					
		Check to search only within this results set					
» Key	,	Display Format:					
IEEE JNL	IEEE Journal or Magazine	L view selected items Select All Deselect All					
IEE JNL	IEE Journal or Magazine	Delectal Description					
IEEE CNF	IEEE Conference Proceeding	1. Robust re-authentication and key exchange protocol for IEEE 802.11 wire Ganz, A.; Se Hyun Park; Ganz, Z.;					
IEE CNF	IEE Conference Proceeding	Military Communications Conference, 1998. MILCOM 98. Proceedings., IEEE Volume 3, 18-21 Oct. 1998 Page(s):1018 - 1022 vol.3					
IEEE STD	IEEE Standard	Digital Object Identifier 10.1109/MILCOM.1998.727002					
	•	AbstractPlus Full Text: PDF(432 KB) IEEE CNF Rights and Permissions					
		2. Anonymous wireless authentication on a portable cellular mobile system Shiuh-Jeng Wang; Computers, IEEE Transactions on Volume 53, Issue 10, Oct. 2004 Page(s):1317 - 1329 Digital Object Identifier 10.1109/TC.2004.70					
		AbstractPlus References Full Text: PDF(728 KB) IEEE JNL Rights and Permissions					
		3. Fast handoff scheme based on mobility prediction in public wireless LAN Pack, S.; Choi, Y.; Communications, IEE Proceedings- Volume 151, Issue 5, 24 Oct. 2004 Page(s):489 - 495 Digital Object Identifier 10.1049/ip-com:20040834					
		AbstractPlus Full Text: PDF(475 KB) IEE JNL					
		4. Reducing Reauthentication Delay in Wireless Networks Aura, T.; Roe, M.; Security and Privacy for Emerging Areas in Communications Networks, 2005. 2005. First International Conference on 05-09 Sept. 2005 Page(s):139 - 148 Digital Object Identifier 10.1109/SECURECOMM.2005.58					
		AbstractPlus Full Text: PDF(312 KB) IEEE CNF Rights and Permissions					
		5. Mixed strand spaces Thayer Fabrega, F.J.; Herzog, J.C.; Guttman, J.D.; Computer Security Foundations Workshop, 1999. Proceedings of the 12th IEE 28-30 June 1999 Page(s):72 - 82					

Digital Object Identifier 10.1109/CSFW.1999.779763

AbstractPlus | Full Text: PDF(176 KB) IEEE CNF Rights and Permissions 6. Analysis of host authentication mechanism in current POD copy protection Hai-Bo Tian; Yang Zhan; Yu-Min Wang; Consumer Electronics, IEEE Transactions on Volume 51, Issue 3, Aug. 2005 Page(s):922 - 924 Digital Object Identifier 10.1109/TCE.2005.1510504 AbstractPlus | Full Text: PDF(99 KB) IEEE JNL Rights and Permissions 7. Improving Cross-domain Authentication overWireless Local Area Networ Hahnsang Kim; Shin, K.G.; Dabbous, W.; Security and Privacy for Emerging Areas in Communications Networks, 2005. 2005. First International Conference on 05-09 Sept. 2005 Page(s):127 - 138 Digital Object Identifier 10.1109/SECURECOMM.2005.24 AbstractPlus | Full Text: PDF(360 KB) IEEE CNF Rights and Permissions 8. Minimizing re-authentication overheads in infrastructure IEEE 802.11 WL authentication read pre-authentication] Mukherjee, A.; Joshi, T.; Agrawal, D.P.; Wireless Communications and Networking Conference, 2005 IEEE Volume 4, 13-17 March 2005 Page(s):2344 - 2349 Vol. 4 Digital Object Identifier 10.1109/WCNC.2005.1424881 AbstractPlus | Full Text: PDF(2026 KB) IEEE CNF Rights and Permissions 9. Self-authorization: a methodology for secured network access in a distrit Campbell, T.R.; SoutheastCon, 2005. Proceedings. IEEE 8-10 April 2005 Page(s):372 - 377 Digital Object Identifier 10.1109/SECON.2005.1423275 AbstractPlus | Full Text: PDF(1798 KB) IEEE CNF Rights and Permissions

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((('session expired' and persistant and request)<in>metadata)) <and> (pyr >= 1950 &..." Your search matched 0 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((('session expired' and persistant and request)<in>metadata)) <and> (pyr >= 1950 <

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IEE JNL

IEEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by #Inspec

Ref #	Hits	Search Query .	DBs	Default Operator	Plurals	Time Stamp
L1	0	(webmail or web\$1mail or hotmail) with (authenticat\$4 or logon or logout or re\$log) with stor\$4 with (message or mail or data or information)	EPO .	OR	OFF	2006/03/23 14:53
L2	0	(webmail or web\$1mail or hotmail) with (authenticat\$4 or logon or logout or re\$log)	EPO	OR	OFF	2006/03/23 14:03
L3	0	(webmail or web\$1mail or hotmail)	EPO	OR	OFF	2006/03/23 14:03
L4	1	(webmail or web\$1mail or hotmail) with (authenticat\$4 or logon or logout or re\$log) with stor\$4 with (message or mail or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/23 14:09
L5	234	(webmail or web\$1mail or hotmail) and (authenticat\$4 or logon or logout or re\$log) and stor\$4 with (message or mail or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:25
L6	21795398	@ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:10
L7	69	I5 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/23 14:14
L8	9	I5 and re\$1authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:15
L9	1	l8 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:19

						T
L10	18	IS and tempor\$5 adj stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/23 14:19
L11	5	l10 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:25
L12	. 0	I7 and still near3 authentica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:26
L13	. 0	I7 and again near3 authentica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓFF	2006/03/23 14:26
L14	. 0	I7 and session near expir\$5 near4 authentica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:27
L15	0	I7 and session near expir\$5 with authentica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:27
L16		17 and session near3 expir\$5 with authentica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:53
L17	19	(webmail or web\$1mail or hotmail) with stor\$4 with (message or mail or data or information or request\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:55

3/23/2006 7:19:05 PM C:\Documents and Settings\TTran26\My Documents\EAST\Workspaces\10081755_1.wsp Page 2

L18	19	(webmail or web\$1mail or hotmail) with stor\$4 with (message or mail or data or information or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:55
L19	3	l18 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 14:56
L20	0	(webmail or web\$1mail or hotmail) near10 (request\$4 or send or sent) near10 (re\$1authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 15:51
L21	534	(webmail or web\$1mail or hotmail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 15:51
L22	7	l21 and authenticat\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 16:00
L23	294	l21 and (authenticat\$5 or login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 16:00
L24	99	I23 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 16:12
L25	1	I24 and re\$1authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 16:47

L26	2	"20020112083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/23 16:59
L27	1	session adj expir\$4 with re\$1authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 17:59
L28	0	session adj expire with lost adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:00
L29	0	session adj expire with authenticat\$4 with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:01
L30	0	session adj expire with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:01
L31	32	session adj expire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:02
L32	6	session near10 expire with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:04
L33	3	request near10 (pending or tempor\$6) with (expire\$2 or end\$3) with (login or reauthenticat\$4 or reconnect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:33

L34	0	persistant with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:33
L35	1	persistant with (mail or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:49
L36	2	persistan\$4 with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:50
L37	2573	persist\$4 with request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:50
L38	11	(persist\$4 with request\$4) with (reauthenticat\$4 or re\$1authenticat\$4 or reconnect\$4 or re\$1connect\$4 or re\$1connect\$4 or re\$1establish\$4 or relog\$4 or re\$1log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 18:52
L39	4	l38 and @ad<"20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 19:10

3/23/2006 7:19:05 PM C:\Documents and Settings\TTran26\My Documents\EAST\Workspaces\10081755_1.wsp Page 5